



HESTORE.HU

elektronikai alkatrész áruház

EN: This Datasheet is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.




Transformers for printed circuit boards designed chiefly for power supply circuitry assemblies of electronic devices. They feature small dimensions and a compact build as well as having an increased mechanical durability and resilience to climate elements (cast resin). The transformers are made at IP00 protection grade, maximum ambient temperature 60°C, thermal class of insulation B (130°C). Manufactured in compliance with EN 61558-2-1 and EN 61558-2-6.




Rated power: 0,5 - 30VA

Rated voltage PRI: 24 - 500V 50/60Hz

Rated voltage SEC: 6 - 500V



TEZ: 0,5 - 16





TEZ: 20; 25; 30



Type	Power [VA]	Dimensions [mm]								Weight [kg]	Typical leads		
		A	B	C	a1	a2	D	E	F		PRI	1xSEC	2xSEC
TEZ 0,5	0,5	22	24	19	15	15	x	x	x	0,05	1-4	6-7	5-6, 7-8
TEZ 1,5	1,5	28	33	22	20	20	x	x	x	0,07	1-5	7-9	6-7, 9-10
TEZ 2,0	2,0	28	33	24	20	20	x	x	x	0,09	1-5	7-9	6-7, 9-10
TEZ 2,5	2,5	28	33	27	20	20	x	x	x	0,10	1-5	7-9	6-7, 9-10
TEZ 2,6	2,5	28	33	30	20	20	x	x	x	0,12	1-5	7-9	6-7, 9-10
TEZ 4,0	4,0	35	42	29	25	20	x	x	x	0,15	1-5	7-9	6-7, 9-10
TEZ 4,5	4,5	35	42	29	25	20	x	x	x	0,15	1-5	7-9	6-7, 9-10
TEZ 6,0	6,0	38	45	32	25	25	x	x	x	0,20	1-5	7-9	6-7, 9-10
TEZ 10,0	10,0	44	52	35	27,5	25	x	x	x	0,28	1-6	8-11	7-8, 11-12
TEZ 16,0	16,0	47	57	39	30	30	x	x	x	0,42	1-7	9-13	8-9, 13-14
TEZ 20,0	20,0	53,8	63,6	47,2	32,5	30	43,5	72,5	81,7	0,6	1-7	9-13	8-9, 13-14
TEZ 25,0	25,0	53,8	63,6	51,5	32,5	30	43,5	72,5	81,7	0,7	1-7	9-13	8-9, 13-14
TEZ 30,0	30,0	53,8	63,6	56,5	32,5	30	43,5	72,5	81,7	0,8	1-7	9-13	8-9, 13-14

Because of the constant development of product construction and changes concerning technical requirements, Breve-Tufvassons Company reserves the right to change the parameters mentioned above.



TEZ 0,5





TEZ 0,6 - 4,0





TEZ 6,0



TEZ 10



TEZ 16



TEZ 20; 25; 30

