



HESTORE.HU

elektronikai alkatrész áruház

EN: This Datasheet is presented by the manufacturer.

Please visit our website for pricing and availability at www.hestore.hu.



SYNTON-TECH CORPORATION

METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	1/28
Date :	2008.08.20

1. INTRODUCTION

To fill the function gap of carbon film resistors, metal oxide film resistors or wirewound resistors SYNTON-TECH makes metal film resistors. The resistive element is a high purity rod of AL2O3 ceramic rod on which a thin film of Ni/Cr alloy is deposited by vacuum sputtering system. Then contact caps are pressed onto the ends of the rod and a helical groove cut through the film to give the required resistance value. Connecting copper wire are welded to the end caps. Finally the resistors are coated with multiple layers of insulation lacquer. **SYNTON-TECH's** MF series are suitable for all circuit applications especially tighter tolerance and low temperature coefficient are required.

2. FEATURES

- Meet American military specification MIL-R-10509F!
- Very low current noise!
- Major applications are switching power supplies, communications equipment, monitors, testing meters.


APPROVED	CHECKED	DESIGNED	REMARK	DOCUMENT NO.
Carol	May	Chen	08/20 RE:SGS	0201010017



3. EXPLANATIONS OF ORDERING CODE

DESCRIPTION : MF 1/4W 1% 100Ω

SYNTON CODE : MF 025 F 1000 T





SYNTON-TECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	3/28
Date :	2008.08.20

4. ELECTRICAL CHARACTERISTICS

TYPE	MF-12	MF-25S	MF-40S	MF-33S	MF-25	MF-50S	MF-60S	MF-50	MF-100S	MF-100	MF-200S	MF-200	MF-300S	MF-500SS
Power Rating at 70°C	1/16W 1/8W 1/6W	1/4W	0.4W	1/3W	1/4W	1/2W	0.6W	1/2W	1W	1W	2W	2W	3W	5W
Operating Temp. Range	-55°C ~ +155°C													
Maximun Working Volt.	200V	250V	350V	250V	250V	350V	350V	350V	500V	500V	500V	500V	500V	500V
Maximun Overload Volt.	400V	500V	700V	500V	500V	700V	700V	700V	1000V	1000V	1000V	1000V	1000V	1000V
Dielectric withstanding Volt.	400V	500V	700V	500V	500V	700V	700V	700V	1000V	1000V	1000V	1000V	1000V	1000V
Value Range ±0.5%. ±1%	STANDARD 10Ω ~ 1MΩ													
	SPECIAL Low to 0.1Ω high to 30MegΩ													
±0.25%	100Ω ~ 100KΩ													
±0.1%	100Ω ~ 47KΩ													
	SPECIAL VALUES AVAILABLE UPON REQUEST													
Temp. Coefficient	±10ppm/°C、±15ppm/°C、±25ppm/°C、±50ppm/°C、±100ppm/°C													

Figure 1



SYNTECH CORPORATION

METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	4/28
Date :	2008.08.20

5. POWER RATING

(1) **Power Derating** : The rated power at the temperature in excess of 70°C shall be derated in accordance with figure2





Figure2

(2) Pulse Loading Characteristics





SYNTON-TECH CORPORATION

METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	5/28
Date :	2008.08.20

(2)Rated Voltage : The DC or AC(rms) continuous working voltage corresponding to the rated power is determined by the following formula:

$$E = \sqrt{R \times P}$$

Where E : Continuous rated DC or AC (rms) working voltage (v)

P : Rated power (w)


R : Resistance value (Ω)



SYNTON-TECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	6/28
Date :	2008.08.20

6. DIMENSIONS



Unit: m/m

TYPE	POWER	L	D	H	d
MF-12	1/16W 1/6W 1/8W	3.5 ± 0.3	1.8 ± 0.3	25 ± 3	0.43 ± 0.05
MF-25S	1/4W				
MF-40S	0.4W				
MF-33S	1/3W	6.0 ± 0.5	2.3 ± 0.3	25 ± 3	0.54 ± 0.1
MF-25	1/4W				
MF-50S	1/2W				
MF-60S	0.6W	9.0 ± 0.5	3.2 ± 0.5	25 ± 3	0.58 ± 0.1
MF-50	1/2W				
MF-100S	1W				
MF-100	1W	11 ± 1.0	4.5 ± 0.5	35 ± 3	0.75 ± 0.1
MF-200S	2W				
MF-200	2W				
MF-300S	3W	15 ± 1.0	5.0 ± 0.5	35 ± 3	0.75 ± 0.1
MF-500SS	5W				

Figure3




SYNTON-TECH CORPORATION
METAL FILM FIXED RESISTORS

File No.: MF-02
 Version: C
 Page: 7/28
 Date : 2008.08.20

(1) FORMING PACKING

M / MK / MB= Forming horizontal type



Unit : m/m

TYPE	POWER	FORMING Type	P ± 1 (Min.)	H ±2.5 (Min.)	H1 ± 1 (Min.)	H2 ± 1 (Min.)	H3 ± 1 (Min.)	H4 ± 1 (Min.)
MF-12 MF-25S MF-40S	1/8W 1/4W 0.4W	M	5~	10~	—	—	—	—
MF-33S MF-25 MF-50S MF-60S	1/3W 1/4W 1/2W 0.6W	M MK	10~	10~ —	— 8~	— 3~	—	8~ —
MF-50 MF-100S	1/2W 1W	M MK.MB	12.5~	10~ —	— 8~	— 3~	— 8~	— 5~
MF-100 MF-200S	1W 2W	M MK.MB	15~	10~ —	— 8~	— 3~	— 8~	— 5~
MF-200 MF-300S	2W 3W	M MK MB	20~	10~ —	— 8~	— 3~	— 8~	— 5~

Remark : 1. B = 1.15 ~

2. ALTERNATE MARKING METHOD ALSO AVAILABLE ON REQUEST.

Figure4




SYNTON-TECH CORPORATION
METAL FILM FIXED RESISTORS


File No.:	MF-02
Version:	C
Page:	8/28
Date :	2008.08.20

(2) FORMING PACKING


F / FK / FKK=Forming vertical type



F TYPE



FKK TYPE



FK TYPE

Unit : m/m

TYPE	POWER	FORMING Type	P ± 1 (Min.)	A ± 1 (Min.)	A1 ± 1 (Min.)	A2 ± 1 (Min.)	A3 ± 1 (Min.)	A0 ± 1 (Min.)
MF-12 MF-25S MF-40S	1/8W 1/4W 0.4W	F		25±3				3
MF-33S MF-25 MF-50S MF-60S	1/3W 1/4W 1/2W 0.6W	F FK FKK	5~10 5~10	— —	— 4	— 3	25±3 5~	3 3
MF-50 MF-100S	1/2W 1W	F FK FK FKK	5~10 5~10 5~10	5~ 	— 4	— 3	 25±3 5~	3 3
MF-100 MF-200S	1W 2W	F FK FKK	5~10 5~10	5~ —	— 4	— 3	— 5~	3 3
MF-200 MF-300S	2W 3W	F FK FKK	5~10 5~10	5~ —	— 4	— 3	— 5~	3 3

Remark : 1. Z = 3 ± 1. K = 2 ± 0.5,

2. ALTERNATE MARKING METHOD ALSO AVAILABLE ON REQUEST.


Figure5



SYNTON-TECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	9/28
Date :	2008.08.20

(3) TAPE PACKING (T-TYPE)



Unit:m/m

TYPE	SIZE	T	P ±0.5	W ±0.5	D ₁ -D ₂ Max.	E Max.	Z Max.	S Max.	I Min.
MF-12	T-26	26±1.0	5	6	0.8	1	1.2	1	3
MF-25S	T-52	52±2.0	5	6	0.8	1	1.2	1	3
MF-40S									
MF-33S	T-26	26±1.0	5	6	1.0	1	1.2	1	3
MF-25	T-52	52±2.0	5	6	1.0	1	1.2	1	3
MF-50S									
MF-60S									
MF-50	T-52	52±2.0	5	6	1.2	1	1.2	1	3
MF-100S	T-74	74±2.0	5	6	1.4	1	1.2	1	3
MF-100									
MF-200S	T-74	74±2.0	10	6	1.4	1	1.2	1	3
MF-200									
MF-300S									
MF-500SS									

Figure6



7. CHARACTERISTICS

(1) Insulation Resistance

Test Method : Resistors shall be clamped in the trough of a 90 degree metallic V-block, apply DC 100V between this electrode and another lead wire for 1 minute.

Acceptance Standard : 1,000 M ohm above

(2) Terminal Strength

Test Method : Pull a resistor with a weight of 1 kg for 30 seconds. Bend the terminal lead wire with 500gs weight for 90 degree and bend it for 90 degree oppositely and return to normal.

Acceptance Standard : Resistance shall not change more than $\pm 0.2\%$.
No evidence of mechanical damage.

(3) Vibration

Test Method : Total amplitude of 1.5mm. The frequency shall vary from 10 HZ to 55 HZ, for approximate 1 second. Make this test in the direction parallel to the resistor axis, and up/down for 2 hours respectively. (altogether 6 hours.)

Acceptance Standard : Resistance shall not change more than $\pm 0.25\%$.
No evidence of mechanical damage.

(4) Short Time Overload

Test Method : Resistors shall be tested 2.5 times rated voltage for 5 seconds at ambient room temperature.

Acceptance Standard : Resistance shall not change more than $\pm 0.5\%$.
No evidence of mechanical damage.



SYNTON-TECH CORPORATION

METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	11/28
Date :	2008.08.20

(5) Load Life

Test Method : Thermostatic chamber at a temperature of $70\pm 5^{\circ}\text{C}$ under a rated DC voltage for 1.5 hours on and 1/2 hour off repeat this cycle for 1000 ± 12 hours.

Acceptance Standard : Resistance shall not change more than $\pm 1.5\%$.
No evidence of mechanical damage.

(6) Moisture Resistance

Test Method : At temperature of $40\pm 2^{\circ}\text{C}$ and a relative humidity of 90-95% for 1000 ± 12 hours, under a rating DC voltage for hours on and 1/2 hour off.

Acceptance Standard : Resistance shall not change more than $\pm 1\%$.
No evidence of mechanical damage.

(7) Temperature Cycling

Test Method :

STEP	1	2	3	4
TEMP	$-55\pm 3^{\circ}\text{C}$	$20\pm 5^{\circ}\text{C}$	$85\pm 2^{\circ}\text{C}$	$20\pm 5^{\circ}\text{C}$
TIME	30min.	10~15min.	30min.	10~15min.

Form 1 to 4 is a cycle as shown above, repeat 5 cycles
Measure resistance after 1 hour in normal temperature.

Acceptance Standard : Resistance shall not change more than $\pm 0.5\%$.
No evidence of mechanical damage.

(8) Resistance to Soldering Heat

Test Method : Immerse each terminal wire of a resistor up to $4\pm 0.8\text{mm}$ away from the resistor body in the solder tank at $350\pm 10^{\circ}\text{C}$ for 3 ± 0.5 seconds.
Measure resistance in 3 hours.

Acceptance Standard : Resistance shall not change more than $\pm 0.25\%$.
No evidence of mechanical damage.



SYNTON-TECH CORPORATION

METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	12/28
Date :	2008.08.20

(9) Resistance to Solvent

Test Method : immerse a resistor completely in reagent at a temperature of 20~25°C for 30±5 seconds.

Acceptance Standard : No evidence of mechanical damage.

(10) Dielectric Withstanding Voltage

Test Method : Resistors shall be clamped in the trough of a 90 degree metallic V-block, apply AC between this electrode and another lead wire for 1 minute.

Acceptance Standard : Resistance shall not change more than ±0.5%.
No evidence of mechanical damage.

(11) Solderability

Test Method : apply flux to the terminal wire of a resistor up to 4±0.8mm away from the resistor body and immerse the flux applied portion in the solder tank at 260±5°C for 3±0.5 seconds

Acceptance Standard : more than 95% of a circumference of the immersed portion shall be completely covered with new solder.

(12) Discontinuous Overload

Test Method : 3 times power rating . 1 second on 25 seconds off cycles 1000⁺¹⁰⁰₀.


Acceptance Standard : Resistance shall not change more than ±(0.5%.+0.05 Ω).

● Rated continuous Working Voltage (RCWV)

$$= \sqrt{\text{power rating} \times \text{resistance value}}$$



8. COLOR CODING



Color	1st, 2nd 3rd (Significant Figure)			(Multiplier)	(Tolerance)
	1st	2nd	3rd		
Black	0	0	0	10^0	—
Brown	1	1	1	10^1	F ($\pm 1\%$)
Red	2	2	2	10^2	G ($\pm 2\%$)
Orange	3	3	3	10^3	—
Yellow	4	4	4	10^4	—
Green	5	5	5	10^5	D ($\pm 0.5\%$)
Blue	6	6	6	10^6	C ($\pm 0.25\%$)
Violet	7	7	7	10^7	B ($\pm 0.1\%$)
Gray	8	8	8	10^8	A ($\pm 0.05\%$)
White	9	9	9	10^9	AA ($\pm 0.01\%$)
Gold	—	—	—	10^{-1}	J ($\pm 5\%$)
Silver	—	—	—	10^{-2}	—

Figure7



SYNTECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	14/28
Date :	2008.08.20



Test Report No. : CE/2008/78479 Date : 2008/08/06 Page : 1 of 6

SYNTECH CORPORATION
 16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU
 ROAD, HSI-CHIH, TAIPEI COUNTY, TAIWAN, R. O. C.
 (DONG GUAN PLANT)
 (SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN,
 GUANG DONG, CHINA)



The following sample(s) was/were submitted and identified by/on behalf of the client as :

Sample Description : METAL FILM FIXED RESISTORS (EPOXY COATING)
 Style/Item No. : MF, FMF TYPE
 Sample Receiving Date : 2008/07/30
 Testing Period : 2008/07/30 TO 2008/08/06

Test Requested : In accordance with the RoHS Directive 2002/95/EC, and its amendment directives.

Test Method : With reference to IEC 62321/2nd CDV (111/95/CDV) Procedures for the Determination of Levels of Regulated Substances in Electrotechnical Products.

- (1) Determination of Cadmium by ICP-AES.
- (2) Determination of Lead by ICP-AES.
- (3) Determination of Mercury by ICP-AES.
- (4) Determination of Hexavalent Chromium for non-metallic samples by UV/Vis Spectrometry.
- (5) Determination of PBB and PBDE by GC/MS.

Test Result(s) : Please refer to next page(s).

Chenyu Kung / Operation Manager
 Signed for and on behalf of
SGS TAIWAN LTD.
 Chemical Laboratory – Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有註明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。
 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW 7291901

1001



SYNTON-TECH CORPORATION

METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	15/28
Date :	2008.08.20



Test Report No. : CE/2008/78479 Date : 2008/08/06 Page : 2 of 6

SYNTON-TECH CORPORATION
16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU
ROAD, HSI-CHIH, TAIPEI COUNTY, TAIWAN, R. O. C.
(DONG GUAN PLANT)
(SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN,
GUANG DONG, CHINA)



Test results by chemical method (Unit: mg/kg)

Test Item (s):	Method (Refer to)	Result	MDL
		No.1	
Cadmium (Cd)	(1)	n.d.	2
Lead (Pb)	(2)	n.d.	2
Mercury (Hg)	(3)	n.d.	2
Hexavalent Chromium Cr(VI) by alkaline extraction	(4)	n.d.	2
Sum of PBBs	(5)	n.d.	-
Monobromobiphenyl		n.d.	5
Dibromobiphenyl		n.d.	5
Tribromobiphenyl		n.d.	5
Tetrabromobiphenyl		n.d.	5
Pentabromobiphenyl		n.d.	5
Hexabromobiphenyl		n.d.	5
Heptabromobiphenyl		n.d.	5
Octabromobiphenyl		n.d.	5
Nonabromobiphenyl		n.d.	5
Decabromobiphenyl		n.d.	5
Sum of PBDEs		n.d.	-
Monobromodiphenyl ether		n.d.	5
Dibromodiphenyl ether		n.d.	5
Tribromodiphenyl ether		n.d.	5
Tetrabromodiphenyl ether		n.d.	5
Pentabromodiphenyl ether		n.d.	5
Hexabromodiphenyl ether		n.d.	5
Heptabromodiphenyl ether		n.d.	5
Octabromodiphenyl ether		n.d.	5
Nonabromodiphenyl ether	n.d.	5	
Decabromodiphenyl ether	n.d.	5	

TEST PART DESCRIPTION:

NO.1 : MIXED ALL PARTS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不得部份複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.html. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW7291902

1001

SGS Taiwan Ltd. No. 33, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan. / 台北縣五股工業區五權路33號
台灣檢驗科技股份有限公司 ☎(886-2) 2299-3939 ☎(886-2) 2299-3237 www.tw.sgs.com

Member of SGS Group



SYNTECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	16/28
Date :	2008.08.20



Test Report No. : CE/2008/78479 Date : 2008/08/06 Page : 3 of 6

SYNTECH CORPORATION
 16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU
 ROAD, HSI-CHIH, TAIPEI COUNTY, TAIWAN, R. O. C.
 (DONG GUAN PLANT)
 (SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN,
 GUANG DONG, CHINA)



- Note :
1. mg/kg = ppm
 2. n.d. = Not Detected
 3. MDL = Method Detection Limit
 4. "-" = Not Regulated
 5. The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing.
 The above result(s) was/were only given as the informality value.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司同意不得任意複製。
 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW7291903

1001



SYNTON-TECH CORPORATION

METAL FILM FIXED RESISTORS

File No.: MF-02
 Version: C
 Page: 17/28
 Date: 2008.08.20




Test Report No. : CE/2008/78479 Date : 2008/08/06 Page : 4 of 6

SYNTON-TECH CORPORATION
 16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU
 ROAD, HSI-CHIH, TAIPEI COUNTY, TAIWAN, R. O. C.
 (DONG GUAN PLANT)
 (SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN,
 GUANG DONG, CHINA)



- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart.
(Cr⁶⁺ test method excluded)
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang



Sample Material	Digestion Acid
Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
Glass	HNO ₃ /HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO ₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl
Others	Any acid to total digestion

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告之測試結果僅針對送檢之樣品負責，未經本公司書面許可，不得重印或複製。
 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW7291904

1001



SYNTECH CORPORATION

METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	18/28
Date :	2008.08.20




Test Report No. : CE/2008/78479 Date : 2008/08/06 Page : 5 of 6

SYNTECH CORPORATION
16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU
ROAD, HSI-CHIH, TAIPEI COUNTY, TAIWAN, R. O. C.
(DONG GUAN PLANT)
(SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN,
GUANG DONG, CHINA)



PBB/PBDE analytical FLOW CHART

- 1) Name of the person who made measurement: Roman Wong
- 2) Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責，本報告未經本公司書面許可，不可重印或複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_sgs_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW 7291905

SGS Taiwan Ltd. No. 33, Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五權路33號
台灣檢驗科技股份有限公司 t (886-2) 2289-3838 f (886-2) 2299-3232 www.tw.sgs.com

Member of SGS Group

1001



SYNTECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	19/28
Date :	2008.08.20




Test Report No. : CE/2008/78479 Date : 2008/08/06 Page : 6 of 6

SYNTECH CORPORATION
 16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU
 ROAD, HSI-CHIH, TAIPEI COUNTY, TAIWAN, R. O. C.
 (DONG GUAN PLANT)
 (SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN,
 GUANG DONG, CHINA)



CE / 2008 / 78479

0 1cm 2cm



** End of Report **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責，本報告未經本公司許可，不得翻印或散佈。
 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_sgs_conditions.html. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW7291906

1001



SYNTECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	20/28
Date :	2008.08.20



Test Report

No. : CE/2008/60108 Date : 2008/06/09 Page : 1 of 5

SYNTECH CORP.
 16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU RD., HSI-CHIH,
 TAIPEI COUNTY, TAIWAN, R. O. C.
 (DONG GUAN PLANT)
 (SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN, GUANG DONG, CHINA)



The following sample(s) was/were submitted and identified by/on behalf of the client as :

Sample Description : METAL FILM FIXED RESISTORS (EPOXY COATING)
 Style/Item No. : MF, FMF TYPE
 Sample Receiving Date : 2008/6/2
 Testing Period : 2008/6/2 TO 2008/6/9

Test Result(s) : Please refer to next page(s).

Shin-Jyh Chen
Shin-jyh Chen / Asst. Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告僅針對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。
 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW6802325

1001



SYNTECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	21/28
Date :	2008.08.20



Test Report

No. : CE/2008/60108 Date : 2008/06/09 Page : 2 of 5

SYNTECH CORP.
16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU RD., HSI-CHIH,
TAIPEI COUNTY, TAIWAN, R. O. C.
(DONG GUAN PLANT)
(SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN, GUANG DONG, CHINA)



Test Result(s)

PART NAME NO.1 : MIXED ALL PARTS OF BODY (2 SAMPLES)

Test item (s):	Unit	Method	MDL	Result
				No.1
Tetrabromobisphenol A (TBBP-A) (CAS No.: 000079-94-7)	mg/kg	With reference to DIN 53313. Analysis was performed by GC/MS.	10	n.d.
Halogen	---	With reference to BS EN 14582:2007. Analysis was performed by IC method for F, Cl, Br, I content.	---	---
Halogen-Fluorine (F) (CAS No.: 007782-41-4)	mg/kg	With reference to BS EN 14582:2007. Analysis was performed by IC method for Fluorine content.	50	n.d.
Halogen-Chlorine (Cl) (CAS No.: 007782-50-5)	mg/kg	With reference to BS EN 14582:2007. Analysis was performed by IC method for Chlorine content.	50	78
Halogen-Bromine (Br) (CAS No.: 007726-95-6)	mg/kg	With reference to BS EN 14582:2007. Analysis was performed by IC method for Bromine content.	50	n.d.
Halogen-Iodine (I) (CAS No.: 007553-56-2)	mg/kg	With reference to BS EN 14582:2007. Analysis was performed by IC method for Iodine content.	50	n.d.

- Note : 1. mg/kg = ppm
2. n.d. = Not Detected
3. MDL = Method Detection Limit
4. "----" = Not Conducted
5. The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing.
The above result(s) was/were only given as the informality value.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. (除非另有註明, 此報告紙僅適用於測試之樣品負責。未經本公司書面許可, 不可部份複製。)
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW6802326

1001

SGS Taiwan Ltd. | No. 125, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路125號
台灣檢驗科技股份有限公司 | (886 2) 2299 3939 | (886 2) 2299 3237 | www.tw.sgs.com

Member of SGS Group



SYNTECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	22/28
Date :	2008.08.20



Test Report


No. : CE/2008/60108 Date : 2008/06/09 Page : 3 of 5

SYNTECH CORP.
16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIEN TAI WU RD., HSI-CHIH,
TAIPEI COUNTY, TAIWAN, R. O. C.
(DONG GUAN PLANT)
(SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN, GUANG DONG, CHINA)



Analytical flow chart of halogen content

- 1) Name of the person who made measurement: Tin Lan
- 2) Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不得部份複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW6802327

1001

SGS Taiwan Ltd. | No. 125, Wu Kong Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路125號
台灣檢驗科技股份有限公司 | (886-2) 2799-3839 | (886-2) 2799-3237 | www.tw.sgs.com

Member of SGS Group



SYNTECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	23/28
Date :	2008.08.20



Test Report


No. : CE/2008/60108 Date : 2008/06/09 Page : 4 of 5

SYNTECH CORP.
16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU RD., HSI-CHIH,
TAIPEI COUNTY, TAIWAN, R. O. C.
(DONG GUAN PLANT)
(SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN, GUANG DONG, CHINA)



TBBP-A analytical flow chart

- 1) Name of the person who made measurement: Amanda Fu
- 2) Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對樣品之樣品負責。本報告未經本公司書面許可，不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW6802328

1001

SGS Taiwan Ltd. | No. 125, Wu Kong Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路125號
台灣檢驗科技股份有限公司 | ☎(886-2) 2299-3939 | ☎(886-2) 2299-3232 | www.tw.sgs.com

Member of SGS Group



SYNTECH CORPORATION
METAL FILM FIXED RESISTORS


File No.:	MF-02
Version:	C
Page:	24/28
Date :	2008.08.20



Test Report

No. : CE/2008/60108 Date : 2008/06/09 Page : 5 of 5

SYNTECH CORP.
 16F-3, NO. 79, FAR EAST WORLD CENTER SEC. 1, HSIN TAI WU RD., HSI-CHIH,
 TAIPEI COUNTY, TAIWAN, R. O. C.
 (DONG GUAN PLANT)
 (SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN, GUANG DONG, CHINA)



** End of Report **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅針對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。
 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW 6802329

SGS Taiwan Ltd. | No. 125, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路125號
 台灣檢驗科技股份有限公司 | ☎ (886-2) 2289-3939 ☎ (886-2) 2289-3237 www.tw.sgs.com

Member of SGS Group



SYNTECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	25/28
Date :	2008.08.20



Test Report

No. : CE/2008/35041A Date : 2008/05/16 Page : 1 of 4

SYNTECH CORPORATION
 16F-3, NO. 79, FAR EAST WORLD CENTER SEC.1, HSIN TAI WU ROAD,
 HSI-CHIH TAIPEI COUNTY, TAIWAN, R. O. C.
 (DONG GUAN PLANT)
 (SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN, GUANG DONG,
 CHINA)



The following sample(s) was/were submitted and identified by/on behalf of the client as :

Sample Description : COLOR INK
 Style/Item No. : BROWN
 Sample Receiving Date : 2008/03/14
 Testing Period : 2008/03/14 TO 2008/03/25

Test Result(s) : Please refer to next page(s).

Shin-Jyh Chen
Shinjyh Chen / Asst. Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不得翻印或複製。
 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW 6748690

1001

SGS Taiwan Ltd. No. 125, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路125號
 台灣檢驗科技股份有限公司 (886-2) 2299-3939 (886-2) 2299-3237 www.tw.sgs.com
 Member of SGS Group



SYNTECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	26/28
Date :	2008.08.20



Test Report

No. : CE/2008/35041A Date : 2008/05/16 Page : 2 of 4

SYNTECH CORPORATION
16F-3, NO. 79, FAR EAST WORLD CENTER SEC.1, HSIN TAI WU ROAD,
HSI-CHIH TAIPEI COUNTY, TAIWAN, R. O. C.
(DONG GUAN PLANT)
(SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN, GUANG DONG,
CHINA)



Test Result(s)

PART NAME NO.1 : BROWN INK

Test Item (s):	Unit	Method	MDL	Result
				No.1
PFOS	mg/kg	With reference to US EPA 3540C : 1996 method for PFOS Content. Analysis was performed by LC/MS.	1	n.d.
PFOA	mg/kg	With reference to US EPA 3540C : 1996 method for PFOA Content. Analysis was performed by LC/MS.	1	n.d.

- Note : 1. mg/kg = ppm
2. n.d. = Not Detected
3. MDL = Method Detection Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不得部份複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW6748691

1001

SGS Taiwan Ltd. No. 125, Wu Kung Road, Whuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路125號
台灣檢驗科技股份有限公司 1886 21 2280 3939 1889 21 2280 3237 www.tw.sgs.com

Member of SGS Group



SYNTECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	27/28
Date :	2008.08.20




Test Report No. : CE/2008/35041A Date : 2008/05/16 Page : 3 of 4

SYNTECH CORPORATION
 16F-3, NO. 79, FAR EAST WORLD CENTER SEC.1, HSIN TAI WU ROAD,
 HSI-CHIH TAIPEI COUNTY, TAIWAN, R. O. C.
 (DONG GUAN PLANT)
 (SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN, GUANG DONG,
 CHINA)



Analytical flow chart of PFOA/PFOS content

- 1) Name of the person who made measurement: Carrie Liu
- 2) Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。未經本公司書面許可，不可部份複製。
 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW 6748692

1001

SGS Taiwan Ltd. No. 125, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路125號
 台灣檢驗科技股份有限公司 | (886-2) 2299-8839 | (886-2) 2299-3237 | www.tw.sgs.com

Member of SGS Group



SYNTECH CORPORATION
METAL FILM FIXED RESISTORS

File No.:	MF-02
Version:	C
Page:	28/28
Date :	2008.08.20



Test Report

No. : CE/2008/35041A Date : 2008/05/16 Page : 4 of 4

SYNTECH CORPORATION
 16F-3, NO. 79, FAR EAST WORLD CENTER SEC.1, HSIN TAI WU ROAD,
 HSI-CHIH TAIPEI COUNTY, TAIWAN, R. O. C.
 (DONG GUAN PLANT)
 (SHUI KOU INDUSTRIAL ZONE, DA LANG, DONG GUAN, GUANG DONG,
 CHINA)



** End of Report **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅針對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。
 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_sgs_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TW 6748693

SGS Taiwan Ltd. No. 125, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路125號
 台灣檢驗科技股份有限公司 ☎ 1886-21 2289-3939 ☎ 1886-21 2289-3237 www.tw.sgs.com

Member of SGS Group