

EN: This Datasheet is presented by the manufacturer.

Please visit our website for pricing and availability at <u>www.hestore.hu</u>.

HOPE RF

HM-T SERIES FSK TX MODULE

GENERAL

HM-T series FSK transmission module is specially designed by Hope Microelectronics Co. for replacing those applications that used ASK technology module already. It used together with HM-R series FSK receiver module. Due to the benefits from FSK technology, the module is robust to interference, and longer working distance can be achieved.

FEATURES

- 1. HIGHLY INTEGRATED, SMALL SIZE
- 2. HIGH SENSITIVITY, LOW POWER CONSUMPTION
- 3. FSK TECHNOLOGY, SUITABLE FOR REPLACING ASK MODULES
- 4. LESS INTERFRENCE, LONGER WORKING DISTANCE
- 5. CAN BE USED TO REPLACE ASK MODULE W/O THE NEED OF SOFTWARE CHANGE
- 6. NO TUNING REQUIRED DURING PRODUCTION

MECHANICAL AND PIN DEFINITION



IF DATA pin is idle for more than 70mS, then the module will enter standby mode automatically.

APPLICATION

Pin to pin replace the old ASK module. Special design can be made for more sophisticated applications.



PARAMETER

1. DC Characteristic

	min	typical	Max	unit
voltage	2.5	3	5	V
temperature	-35		80	°C
Data rate	600	4800	9600	bps

note: data rate can be defined by customer from 300bps~100kbps

2. RF Characteristic VDD=3.0V T=25°C

D	=3.0V T=25°C				
	Model	HM-T433	HM-T868	HM-T915	Unit
	Frequency	434	869	915	MHz
	Typical output power	6	4	4	dBm
	TX current	30	31	31	mA
	RF Distance(reliable condition)	200	160	200	m

note: 1. testing area: 1.open space; 2.antenna is above the ground for 2 meters;

2. if 5Vpower supplied, even longer distance is possible, however more power consumption will be introduced accordingly.

Naming Rules



Mechanical Dimension



Tel: +86-755-82973805

Fax: +86-755-82973550

82973550 E-mail: s

E-mail: <u>sales@hoperf.com</u> <u>http://www.hoperf.com</u> Update:4/6/2009

HOPE RF

	This document may contain preliminary information and is subject to change by Hope Microelectronics without notice. Hope Microelectronics assumes no responsibility or liability for any use of the information contained herein
	Nothing in this document shall operate as an express or implied license or
HOPE MICROELECTRONICS CO.,LTD	indemnity under the intellectual property rights of Hope Microelectronics or
Add:4/F, Block B3, East Industrial Area,	third parties. The products described in this document are not intended for
Huaqiaocheng, Shenzhen, Guangdong, China	use in implantation or other direct life support applications where malfunction
Tel: 86-755-82973805	may result in the direct physical harm or injury to persons. NO WARRANTIES
Fax: 86-755-82973550	OF ANY KIND, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
Email: sales@hoperf.com	WARRANTIES OF MECHANTABILITY OR FITNESS FOR A ARTICULAR
trade@hoperf.com	PURPOSE, ARE OFFERED IN THIS DOCUMENT.
Website: http://www.hoperf.com	
http://hoperf.en.alibaba.com	©2006, HOPE MICROELECTRONICS CO., LTD. All rights reserved.